ONIX





CONTENTS

ONIX	2
LISA	4-5
NIEVE	6-7
OPALO	8-9
ECO STONES	10-11
OPALESCENT	12-13
VANGUARD	14
PENNY ROUNDS	15
PENTA VANGUARD	16-17
WATER CHART	18-21
ON POINT SYSTEM	22-23
MOSAIC LAYING ADVICE	24
MOSAIC FINISHES	26-28









ONIX

ONIX has managed in just a few years to become the largest international manufacturer of glass mosaic. Their commitment to innovation, technological potential and the continuous improvement of their production processes have allowed them to position themselves as a benchmark in the world of decoration. ONIX driving force is to offer the ideal ecological solution to commercial and residential projects that require sustainable construction materials and design. ONIX collections show their passion for transcending the limits of interior design and offering new aesthetic proposals every year, always in line with new trends and the needs of the market. More than two decades of experience with always the same goal: to go as far as the imagination takes us.

Sustainablity

ONIX are responsible for the legacy of future generations, which is why they maintain a firm commitment to offer a product that is environmentally friendly, healthy and energy efficient in order to reduce the excess of CO2 emissions on the planet. Their glass mosaic tesserae are made from 98% recycled glass, which adds value to the quality of their products. ONIX also promote the circular economy through the reuse of production waste, so that they can manufacture less demanding glass in terms of the purity of the raw material, such as mirrors, bottles, etc.

Versatility & Efficiency

ONIX design and conceive glass mosaic as a fundamental element for indoor and outdoor decoration, not only because of its aesthetic possibilities, which allow for great customization, decoration and design, but also because of its functional properties. Its high resistance to humid environments,non-porosity and resistance to thermal shock, make their products the perfect choice for all types of rooms. ONIX's hygienic and antibacterial properties and ease of cleaning, explains the increasing use of this material in all types of projects.



SIRO TESTED (POU & PVC)



GREEN SUSTAINABLE PRODUCTS




RECYCLED GLASS




MADE IN SPAIN

LISA


Pure colours, perfect gloss finish, make these mosaics perfect when designing decors. An indispensable classic in the world of mosaic.



WHITE 2000052



MID-BLUE 2000048




BLACK 2000056



DARK-BLUE 2000049




TILE SIZE	SHEET SIZE	FINISH	SUPPORT	MATERIAL
25x25mm	310x 467mm	Gloss	PVC	Glass




NIEVE

The most complete mosaic colour palette. In a great variety of shades but always with a subtle snow texture. A traditional beauty in swimming pools around the world.




TILE SIZE	SHEET SIZE	FINISH	SUPPORT	MATERIAL
25x25mm	310x 467mm	Gloss	PVC	Glass



OPALO

An opal finish that produces a set of colours when the light touches the mosaics. With a complete range of colours: light blue, blue, white, black A reflection of distinction to fill spaces with light.



BLANCO 2000205



NEGRO 2000206

TILE SIZE	SHEET SIZE	FINISH	SUPPORT	MATERIAL
25x25mm	310x 467mm	Gloss	PVC	Glass






ECO STONE

Elegant marble and stone textures cover each mosaic. Endless possibilities of combination for decorating environments. A grain that recalls the marble fineness and realistically recreates the stones, taking us to its natural origin.



TILE SIZE	SHEET SIZE	FINISH	SUPPORT	MATERIAL	AREA
25x25mm	310x 310mm	Matte	POLI	Glass	Int / Ext



OPALESCENT

The light projects an incomparable chromatic richness. A chromatic range with a shimmering effect composed by elegant blue, green and beige. A reflection that is projected in the swaying of the water.



AZUL CELESTE 2003635



OPALITE AZUL CELESTE 2004331




AZUL CIELO 2003634



BLANCO 2004427




TILE SIZE	SHEET SIZE	FINISH	SUPPORT	MATERIAL
25x25mm	310x 467mm	Gloss	PVC	Glass




VANGUARD

Character and personality in the swimming pool mosaic. Original textures in gloss finish: waves, corals, lavas, brushstrokes, gradients. Different designs bathed in a variety of colours.



TILE SIZE	SHEET SIZE	FINISH	SUPPORT	MATERIAL	AREA
25x25mm	310 x 467mm Satin 310 x 310mm Matte	Matte/Gloss	PVC/POLI	Glass	Int / Ext


PENNY NATUREGLASS



BLACK MATT 2005000



WHITE MATT 2005008



GRAFITO MATT 2005018



FOSCO MATT 2005019



CALACATTA GOLD MATT 2005020

TILE SIZE	SHEET SIZE	FINISH	SUPPORT	MATERIAL	AREA
25x25mm	286X286	MATT	PVC/POLI	GLASS	Int / Ext



PENTA VANGUARD


The aesthetic redefinition of the swimming pool thanks to the set of textures: Marbles, wood, craquelures, corals, lavas. Mosaics in Penta format of chromatic beauty.



ARRECIFE BLUE 2003563



FOREST BLUE 2003568




BALI STONE 2004317






TILE SIZE	SHEET SIZE	FINISH	SUPPORT	MATERIAL	AREA
50x50mm	311x 311mm	MATT/GLOSS	POLI	Glass	Int / Ext



WATER CHART

VAGUARD | REFER PAGE 14



NIEVE | Refer pages 6 & 7





OPALESCENT | Refer pages 12 & 13



OPALESCENT BLANCO 2004427



OPALESCENT AZUL CIELO 2003634




OPALITE AZUL CELESTE 2003634




OPALESCENT AZUL CELESTE 2003635



ECO STONE | Refer pages 10 & 11



NEW BASALT 2004522



NEW SLATE 2004523



SILVER MATTE 2003276



STARUARIO MATTE 2003279


LISA | Refer pages 4 & 5



LISE WHITE 2000052



LISA MID-BLUE 2000048



LISA BLACK 2000056






LISA DARK BLUE 2000049


PENTA VANGAURD | Refer pages 16 & 17



PENTA NEW BASALT 2004525



PENTA NEW SLATE 2004526



PENTA BALISTONE 2004317

OPALO | Refer pages 8 & 9



OPALO NEGRO 2000206



OPALO IRIDISCENT BLUE 2000213



OPALO BLANCO 2000205

ONIX

ON POINT System

ON POINT system support, POLI & PVC support, with installation & mosaic laying advise.

- / Made in spain
- / 98% Recycled glass
- / Unalterable colour
- / Anitslip C3/R11

- ✓ High Resistance
- √ 0% Water absorption
- / Minimum Thickness
- / Maximum Flexibility

TYPES OF ON POINT SUPPORT

GREAT GRIP

The dot backing system allows up to 91% of surface free for the adhesive.

FAST INSTALLATION

The size of 12 x 18 tesserae and the ease of installation allows up to a 27% time saving during the installation.

MINIMUM THICKNESS

An even thickness which conceals the surface of the grouting.

MAXIMUM FLEXIBILITY

Full adaptability to any type of surface: corners, curved, irregular finishes...


HIGH RESISTANCE

The dot backing is damp proof, so it can be stored outside and it will remain unaltered.

VISUAL CONTROL

Unlike paper support, when you v isualize the mosaic in the installation it is possible to create drawings and shapes.





ONIX GLASS MOSAIC


All ONIX 98 % recycled glass mosaics series are made of molten glass. Molten glass characteristics may include irregular edges and small variations in size. These characteristics are inherent to the product and to the standard production. The small size and shape variations can affect the grout joint appearance and enhance the natural aspect of these products. Use constitutes acceptance.

PENTA GLASS MOSAIC

This Artisan-edge glass mosaic is made with recycled glass pieces and may include irregular edges, rustic appearances, minimal imperfections or slight variations in sizing and squareness. These characteristics are inherent to this product due to the manufacturing process. The slight size or shape variations may affect the grout joint appearance, further enhancing the natural aspect of this product. Use constitutes acceptance.











MOSAIC LAYING ADVICE

PREPARATION OF THE BASE

The base on which the laying will be effected, must be perfectly smooth, uniform and white. A different colour damages the aesthetic look of the final result.

THE GLUEING OPERATION

White C2 glue, as per EN12004, must be used. By using the smooth side of the trowel, the glue has to be spread out uniformly on the base (2 sq.m. approximately). By using the jagged side of the trowel (2 or 3 mm.), comb the glue.

THE LAYING OF MOSAIC TILES

Adhere the sheet to the surface by pressing with a rubber trowellt is important to make sure that the distance between one sheet and another is the same as the one among the tesseras so that all the joints look alike.

We suggest to join the sheets when it comes to laying

GROUTING


Joints must be clean, dry and free form dust. The remains of adhesive, after laying, must be removed while it is still fresh. Use grouting paste, RG type, as per EN 13888, spread it out with a rubber trowel.

CLEANING

Let it dry until the paste gets brightless, superficially, and then proceed to clean it with a sponge soaked in water. Once it gets dry, remove it with a dry cloth.


^{*}Refer to local laying advice & standards within your state.





STEP

It is the perfect piece for step edges and pool coronation stones that can sometimes be problematic. Its non-slip finish and variety of colours complete a range that blends perfectly with all our products.







30 mm - 1,18°

COVE

This novel piece considerably enhances the aesthetics of the pool with a much more elegant and careful finish for the transition area between floor and wall.



COVE 50150 SEDA ANTISLIP 2004924 | 830 8









COVE BALISTONE SEDA ANTISLIP COVE SUISS SEDA ANTISLIP COVE LUMNISCENT WHITE SEDA ANTISLIP 2006323] 840 2004825] 830 2004826] 830

SPECIAL PIECES

Steps finishes, pool coronation stones or transitions between pavement and wall, everything is possible thanks to the technical innovation of ONIX. These pieces are available in the most popular finishes such as Luminescent and Antislip to guarantee a perfect composition of your project.

All pieces are available in the Step & Cove colour range.

Bali 50150 50250 50254 50153 Luminis


SP1 O

SP2

SP3 🕠

SP4 O

SP5





ONIX

